



Position Light Dwarf Signal

## Position Light Dwarf Signal

Order by Plate, Piece, Reference and Abbreviated  
Description Given in Heavy Face Type Only

Piece	Ref.	Description	Drawing Reference
152151	A	Position Light Dwarf Signal Complete (Without Lamp Bulbs and Lens Guards) 3 or 4-Position (0°-45° L.Q., 45° U.Q.-90°).....	C-8801-4
206106	B	Position Light Dwarf Signal Complete (Without Lamp Bulbs and Lens Guards) 2-Position (0°-45° L.Q.).....	C-8801-4
210309	C	Position Light Dwarf Signal Complete (Without Lamp Bulbs and Lens Guards) 2-Position (0°-45° U.Q.-90°).....	C-8801-4
152148	2	Signal Case.....	C-8963-4
152150	3	Door with Gasket Ref. 3a.....	C-8963-5
	3a	Gasket, $\frac{3}{8}$ "x $\frac{3}{8}$ "x4'-1- $\frac{1}{2}$ " long Jute Packing.	
140207	4	Hasp Complete.....	8299-66
94150	5	Hood.....	C-8963-3
217842	6	Lens Unit Complete (Inc. 1-6a and 1-6b) (Sealed and Taped).....	B-8276-86
189044	6a	Clear Lens, 4" Diam.....	B-8276-12
188985	6b	Clear Roundel, 4" Diam. 20° Flat Spreadlite (Sand-blasted).....	8468-66
189045	7	Gasket.....	8078-1499
152145	8	Terminal Board.....	9968-883
174933	9	Lamp Socket Complete.....	12415-32
	10	Lamp Socket Complete.....	12415-33
174480	11	Terminal Board.....	9968-931
163628	12	Bayonet Lamp Socket Complete.....	12415-44
	13	Terminal Post with Nuts and Washers (Inc. 1-13a, 3-16, 2-17 and 1-18).....	12451-

# Position Light Dwarf Signal

(Continued)

Order by Plate, Piece, Reference and Abbreviated Description Given in Heavy Face Type Only

Piece	Ref.	Description	Drawing Reference
2798	13a	Terminal Post Only for Ref. 13 . . . . .	8094-82
	14	Machine Screw, No. 10-30x $\frac{5}{8}$ " Fil. Hd. Br. (N.P.) with One Nut Ref. 16, One Washer Ref. 17 and One No. 10 Pl. S. Lock Washer ( $\frac{1}{8}$ "x $\frac{3}{64}$ " (Cad. Pl.).	
	15	Machine Screw, No. 10-30x $\frac{5}{8}$ " Fil. Hd. Br. (N.P.) with One Nut Ref. 16, Three Washers Ref. 17 and One No. 10 Pl. S. Lock Washer ( $\frac{1}{8}$ "x $\frac{3}{64}$ " (Cad. Pl.).	
26942	16	Nut . . . . .	8109-184
44618	17	Washer . . . . .	7828-184
152143	18	Nut Lock . . . . .	8486-384
152146	19	Terminal Board . . . . .	9968-883
121356	20	Gasket . . . . .	8078-1372
116846	21	Terminal Block with One Nut Ref. 22 and One Washer Ref. 23 on each post . . . . .	9968-625
127260	22	Nut . . . . .	8109-194
29102	23	Washer . . . . .	7828-139
29101	24	Nut . . . . .	8109-193
152144	25	Terminal Connector . . . . .	8064-658
152142	26	Stud . . . . .	8115-203
	27	Hex Nut, $\frac{1}{2}$ " (Cad. Pl.).	
152335	28	Lead Complete . . . . .	B-9990-15
138605	29	Lead Complete . . . . .	B-9991-6
167207	30	Lead Complete . . . . .	B-9991-10
74300	31	Lead Complete . . . . .	B-9990-7
	32	Machine Screw, No. 10-30x $1\frac{3}{8}$ " Fil. Hd. S. (Tin Pl.).	

# Position Light Dwarf Signal

(Continued)

Order by Plate, Piece, Reference and Abbreviated  
Description Given in Heavy Face Type Only

Piece	Ref.	Description	Drawing Reference
	33	Machine Screw, No. 10-30x1 $\frac{1}{8}$ " Fil. Hd. S. (Tin Pl.).	
	34	Machine Screw, No. 14-24x $\frac{3}{4}$ " Fil. Hd. S. (Tin Pl.) with $\frac{1}{4}$ " Pl. S. Lock Washer ( $\frac{3}{32}$ "x $\frac{1}{16}$ " (Tin Pl.).	
	35	Machine Screw, No. 12-28x $\frac{3}{4}$ " Fil. Hd. S. (Tin Pl.).	
	36	Bushing.	
210540	37	Clamp .....	10914-923
170053	38	Screw .....	8190-312
94139	39	Disc (For blanking out light spaces not required) ..	7436-119
	40	Machine Screw, No. 14-24x $\frac{1}{2}$ " Fil. Hd. S. (Tin Pl.) For attaching Ref. 39 to Case.	
	41	Lamp Bulb, 12-16 Volts, 21 C.P. Single Contact Bayonet Candelabra Base .....	B-12409-
106963	42	Lens Guard Complete (Inc. 1-42a, 1-42b, 3-42c and 3-42d) .....	C-8963-8
106962	42a	Front Ring with Screen .....	C-8963-8
107019	42b	Back Ring .....	7436-152
172025	42c	Spacer .....	8072-650
	42d	Machine Screw, No. 14-24x2 $\frac{1}{4}$ " Rd. Hd. S. (Tin Pl.).	